

Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

March 4, 2008

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent for *A Refining Surface for a Refiner
for Defibering Material Containing Lignocellulose*
Appl. No. 10/519,635; Filed 12/28/2004
Patent No. 7,322,539B2; Issued January 29, 2008
Our File 033047/286371

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,

/kevin r. lyn/

Kevin R. Lyn
Registration No. 42,818

KRL/nwc

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,322,539 B2

Page 1 of 1

APPLICATION NO. : 10/519,635

ISSUE DATE : January 29, 2008

INVENTOR(S) : Huhtanen *et al.*

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7,

Line 9: "according to claim 1" should read --according to claim 3--

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000